

## Publication list Sven Hendrix (ne Müller-Röver)

Ydens E, Palmers I, Hendrix S, Somers V.

The Next Generation of Biomarker Research in Spinal Cord Injury.

**Mol Neurobiol**, 2017, 54(2):1482-1499. doi: 10.1007/s12035-016-9757-x.

Impact factor (2015): 5.397

Lemmens S, Kusters L, Bronckaers A, Geurts N, Hendrix S.

The  $\beta$ 2-Adrenoceptor Agonist Terbutaline Stimulates Angiogenesis via Akt and ERK Signaling.

**J Cell Physiol**, 2017, 232(2):298-308. doi: 10.1002/jcp.25483.

Impact factor (2015): 4.155

Schönfeld LM, Jahanshahi A, Lemmens E, Schipper S, Dooley D, Joosten E, Temel Y, Hendrix S.

Long-Term Motor Deficits after Controlled Cortical Impact in Rats Can Be Detected by Fine Motor Skill Tests but Not by Automated Gait Analysis.

**J Neurotrauma**. 2017, 34(2):505-516. doi: 10.1089/neu.2016.4440.

Impact factor (2015): 4.377

Dooley D, Lemmens E, Vanganswinkel T, Le Blon D, Hoornaert C, Ponsaerts P, Hendrix S.

Cell-Based Delivery of Interleukin-13 Directs Alternative Activation of Macrophages Resulting in Improved Functional Outcome after Spinal Cord Injury.

**Stem Cell Reports**, 2016, 7(6):1099-1115. doi: 10.1016/j.stemcr.2016.11.005.

Impact factor (2015): 7.023

Guglielmetti C, Le Blon D, Santermans E, Salas-Perdomo A, Daans J, De Vocht N, Shah D, Hoornaert C, Praet J, Peerlings J, Kara F, Bigot C, Mai Z, Goossens H, Hens N, Hendrix S, Verhoye M, Planas AM, Berneman Z, van der Linden A, Ponsaerts P: Interleukin-13 immune gene therapy prevents CNS inflammation and demyelination via alternative activation of microglia and macrophages.

**Glia**, 2016, 64(12):2181-2200. doi: 10.1002/glia.23053.

Impact factor (2015): 5.997

Hoornaert CJ, Luyckx E, Reekmans K, Dhainaut M, Guglielmetti C, Le Blon D, Dooley D, Fransen E, Daans J, Verbeeck L, Quarta A, De Vocht N, Lemmens E, Goossens H, Van der Linden A, Roobrouck VD, Verfaillie C, Hendrix S, Moser M, Berneman ZN, Ponsaerts P:

In vivo IL13-primed macrophages contribute to reduced alloantigen-specific T cell activation and prolong immunological survival of allogeneic mesenchymal stem cell implants.

**Stem Cells**, 2016, 34(7):1971-84, doi: 10.1002/stem.2360.

Impact factor (2015): 5.902

Vanganswinkel T, Geurts N, Quanten K, Nelissen S, Lemmens S, Geboes L, Dooley D, Vidal PM, Pejler G, Hendrix S:

Mast cells promote scar remodeling and functional recovery after spinal cord injury via mouse mast cell protease 6.

**FASEB J**, 2016, 30(5):2040-57; pii: fj.201500114R.

Impact factor (2015): 5.299

Dooley D, Lemmens E, Ponsaerts P, Hendrix S.

Interleukin-25 is detrimental for recovery after spinal cord injury in mice.

**J Neuroinflammation**. 2016; 13(1):101. doi: 10.1186/s12974-016-0566-y.

Impact factor (2015): 4.667

Palmer I, Ydens E, Put E, Depreitere B, Bongers-Janssen H, Pickkers P, Hendrix S, Somers V.

Antibody profiling identifies novel antigenic targets in spinal cord injury patients.

**J Neuroinflammation**. 2016 Sep 13;13(1):243. doi: 10.1186/s12974-016-0713-5.

Impact factor (2015): 4.667

Le Blon D, Guglielmetti C, Hoornaert C, Quarta A, Daans J, Dooley D, Lemmens E, Praet J, De Vocht N, Reekmans K, Santermans E, Hens N, Goossens H, Verhoye M, Van der Linden A, Berneman Z, Hendrix S, Ponsaerts P.

Intracerebral transplantation of interleukin 13-producing mesenchymal stem cells limits microgliosis, oligodendrocyte loss and demyelination in the cuprizone mouse model.

**J Neuroinflammation**, 2016; 9;13(1):288.

Impact factor (2015): 4.667

Geurts N, Vanganswinkel T, Lemmens S, Nelissen S, Geboes L, Schwartz C, Voehringer D, Hendrix S:

Basophils are dispensable for the recovery of gross locomotion after spinal cord hemisection injury.

**J Leukocyte Biol**, 2016, 99(4):579-82. doi: 10.1189/jlb.3AB0815-370R.

Impact factor (2015): 4.165

Winkelmann A, Heinze AK, Hendrix S:

Acknowledging Tissue Donation: Human Cadaveric Specimens in Musculoskeletal Research.

**Clin Anat** 2016, 29(1):65-9. doi: 10.1002/ca.22650.

Impact factor (2015): 1.316

Walsh JT\*, Hendrix S\*, Boato F\*, Smirnov I, Zheng J, Lukens JR, Gadani S, Hechler D, Goelz G, Rosenberger K, Kammertöns T, Vogt J, Vogelaar C, Siffrin V, Radjavi A, Fernandez-Castaneda A, Gaultier A, Gold R, Kanneganti T, Nitsch R, Zipp F, Kipnis J: MHCII-independently induced T-cells protect injured CNS neurons via IL-4.

**J Clin Invest**, 2015, 125(2):699-714. doi: 10.1172/JCI76210.

\*equally contributing first authors

Impact factor: 12.575

Dooley D, Vidal P, Hendrix S:

Immunopharmacological intervention for successful neural stem cell therapy: New perspectives in CNS neurogenesis and repair.

**Pharmacol Therapeut**, 2014, 141(1):21-31. doi: 10.1016/j.pharmthera.2013.08.001,

Impact factor: 9.723

Lemmens S, Brone B, Dooley D, Hendrix S\*, Geurts N\*:

Alpha-Adrenoceptor Modulation in Central Nervous System Trauma: Pain,

Spasms, and Paralysis - An Unlucky Triad  
**Med Res Rev**, 2014, doi: 10.1002/med.21337  
\*equally contributing senior authors  
Impact factor: 8.431

Jahanshahi A, Schönfeld LM, Lemmens E, Hendrix S, Temel Y.  
In vitro and in vivo neuronal electrotaxis: a potential mechanism for restoration?  
**Mol Neurobiol**, 2014, 49(2):1005-16. doi: 10.1007/s12035-013-8575-7  
Impact factor: 5.137

Slaets H, Nelissen S, Janssens K, Vidal PM, Lemmens E, Stinissen P, Hendrix S\*,  
Hellings N\*:  
Oncostatin M Reduces Lesion Size and Promotes Functional Recovery and Neurite  
Outgrowth After Spinal Cord Injury.  
**Mol Neurobiol** 2014, 50(3):1142-51. doi: 10.1007/s12035-014-8795-5  
\*equally contributing senior authors  
Impact factor: 5.137

Nelissen S, Vanganswinkel T, Geurts N, Geboes L, Lemmens E, Vidal PM, Lemmens S,  
Willems L, Boato F, Dooley D, Pehl D, Pejler G, Maurer M, Metz M, Hendrix S:  
Mast cells protect from post-traumatic spinal cord damage in mice by degrading  
inflammation-associated cytokines via mouse mast cell protease 4.  
**Neurobiol Dis**, 2014, 62:260-72. doi: 10.1016/j.nbd.2013.09.012  
Impact factor: 5.078

Nelissen S, Lemmens E, Geurts N, Kramer P, Maurer M, Hendriks J, Hendrix S:  
The role of mast cells in neuroinflammation.  
**Acta Neuropathol**, 2013, 125(5):637-50. doi: 10.1007/s00401-013-1092-y  
Impact factor: 9.777

Vidal PM, Lemmens E, Dooley D, Hendrix S:  
The role of “anti-inflammatory” cytokines in axon regeneration.  
**Cytokine & Growth Factor Rev**, 2013, 24(1):1-12  
Impact factor: 6.537

Vidal PM, Lemmens E, Avila A, Vanganswinkel T, Chalaris A, Rose-John S, Hendrix S:  
ADAM17 is a survival factor for microglial cells *in vitro* and *in vivo* after spinal cord injury  
in mice.  
**Cell Death & Disease**, 2013, Dec 12;4:e954  
Impact factor: 5.177

Hendrix S, Kramer P, Pehl D, Warnke K, Boato F, Nelissen S, Lemmens E, Geurts N,  
Pejler G, Metz M, Siebenhaar F, Maurer M:  
Mast cells protect from post-traumatic brain inflammation by the mast cell-specific  
chymase mouse mast cell protease-4  
**FASEB J**, 2013, 27(3):920-929  
Impact factor: 5.480

Namsolleck P, Boato F, Schwengel K, Paulis L, Matho K, Geurts N, Thöne-Reineke C,  
Lucht K, Seidel K, Hallberg A, Dahlöf B, Unger T, Hendrix S\*, Steckelings M\*:

AT2-receptor stimulation enhances axonal plasticity after spinal cord injury by upregulating BDNF expression.

**Neurobiol Dis**, 2013, 51:177-91

Impact factor: 5.202

\*equally contributing senior authors

Boato F, Rosenberger K, Nelissen S, Geboes L, Peters EM, Nitsch R, Hendrix S:

Absence of IL-1beta positively affects neurological outcome, lesion development and axonal plasticity after spinal cord injury.

**J Neuroinflamm**, 2013, 14;10(1):6

Impact factor: 4.902

Vidal PM, Lemmens E, Geboes L, Vanganswinkel T, Nelissen S, Hendrix S:

Late blocking of peripheral TNF- $\alpha$  is ineffective after spinal cord injury in mice.

**Immunobiology**. 2013, 218: 281– 284

Impact factor: 3.180

Loske P, Boato B, Hendrix S, Piepgras J, Just I, Ahnert-Hilger G, Höltje M:

Minimal essential length of Clostridium botulinum C3 peptides to enhance neuronal regenerative growth and connectivity in a nonenzymatic mode.

**J Neurochem** 2012, 120(6):1084-96

Impact factor: 3.973

Peters EMJ, Liezmann C, Spatz K, Daniltchenko M, Joachim R, Gimenez-Rivera A, Hendrix S, Botchkarev V, Brandner JM, Klapp BF:

Nerve Growth Factor Partially Recovers Inflamed Skin from Stress-Induced Worsening in Allergic Inflammation.

**J Invest Dermatol** 2011, 131(3):735-43.

Impact factor: 6.314

Boato F, Hechler H, Rosenberger K, Luedecke D, Peters EM, Nitsch R, Hendrix S:  
Interleukin-1 beta and neurotrophin-3 synergistically promote neurite growth in vitro.

**J Neuroinflamm** 2011; 8:183

Impact factor: 3.827

\*Boato F, \*Hendrix S, Huelsenbeck SC, Hofmann F, Große G, Djalali S, Klimaschewski L, Auer M, Just I, Ahnert-Hilger G, Höltje M:

C3 peptide treatment enhances functional recovery from spinal cord injury by improved regenerative growth and muscle innervation.

**J Cell Sci**, 15(123):1652-62, 2010

\*equally contributing first authors

Impact factor: 6.290

Hechler D, Francesco, Nitsch R, Hendrix S:

Differential regulation of axon outgrowth and reinnervation by neurotrophin-3 and -4 in the hippocampal formation.

**Exp Brain Res**, 205:215–221, 2010

Impact factor: 2.296

Hendrix S, Nitsch R:

Regeneration After CNS Lesion: Help from the Immune System?

In: Feldmeyer D, Lübke JHR (eds.), *New Aspects of Axonal Structure and Function*, Springer, New York, 2010

Schmitt KRL, Boato F, Diestel A, Hechler D, Kruglov A, Berger F, Hendrix S:

Hypothermia-induced neurite outgrowth is mediated by TNF-alpha.

**Brain Pathol**, 20(4):771 – 779, 2009

Impact factor: 5.903

Höltje M, Djalali S, Hofmann F, Münster-Wandowski A, Hendrix S, Boato F, Dreger SC, Große G, Henneberger C, Grantyn R, Just I, Ahnert-Hilger G:

A 29-amino acid fragment of Clostridium botulinum C3 protein enhances neuronal outgrowth, connectivity, and reinnervation.

**FASEB J**, 2009, 23(4):1115-26

Impact factor: 6.401

Siebenhaar F, Magerl M, Peters EMJ, Hendrix S, Metz M, Maurer M:

Mast cell-driven skin inflammation is impaired in the absence of sensory nerves.

**J Allergy Clin Immunol** 121(4):955-61, 2008

Impact factor: 9.773

Hendrix S:

Neuro-immune communication in skin – far from peripheral

**J Invest Dermatol**, 128(2):260-261, 2008

Impact factor: 5.251

Kloepper JE\*, Hendrix S\*, Bodo E, Tiede S, Humphries MJ, Philpott MP, Fässler R, Paus R:

Functional role of  $\beta 1$  integrin-mediated signalling in human skin remodelling

**Exp Cell Res**, 314(3):498-508, 2008

\*equally contributing first authors

Impact factor: 3,948

Hendrix S, Picker B, Liezman C, Peters EMJ:

Skin and hair follicle innervation in experimental models: a guide for the exact and reproducible evaluation of neuronal plasticity

**Exp Dermatol**, 17:214–228, 2008

Impact factor: 3.259

Hendrix S, Rosenberger K, Kramer P:

The role of T cells in traumatic injuries of the central nervous system

In: Ibarra A (ed.), *The Role of Immune Cells in Neurodegenerative Diseases*, Research Signpost, Kerala, 2008

Smorodchenko A, Wuerfel J, Pohl EE, Vogt J, Tysiak E, Glumm R, Hendrix S, Nitsch R, Zipp F, Infante-Duarte C:

CNS-irrelevant T cells enter the brain, cause blood-brain barrier disruption but no glial pathology.

**Eur J Neurosci**, 26(6):1387-98, 2007  
Impact factor: 3.673

Hendrix S, Nitsch R:  
The role of T helper cells in neuroprotection and regeneration  
**J Neuroimmunol**, 184:100-112, 2007  
Impact factor: 2,920

Hendrix S, Peters EMJ:  
Neuronal plasticity and neuroregeneration in the skin – The role of inflammation  
**J Neuroimmunol**, 184:113-126, 2007  
Impact factor: 2,920

Schmitt KR, Kern C, Lange PE, Berger F, Abdul-Khaliq H, Hendrix S:  
S100B modulates IL-6 release and cytotoxicity from hypothermic brain cells and inhibits  
hypothermia-induced axonal outgrowth  
**Neurosci Res**, 59(1):68-73, 2007  
Impact factor: 2.121

Winkelmann A, Hendrix S, Kiessling C:  
What Do Students Actually Do During a Dissection Course? First Steps Towards  
Understanding a Complex Learning Experience  
**Acad Med**, 82(10):989-995, 2007  
Impact factor: 2,571

Peters EMJ, Raap U, Welker P, Tanaka H, Matsuda H, Pavlovic-Masnicosa S, Hendrix S,  
Pincelli C:  
Neurotrophins act as neuroendocrine regulators of skin homeostasis in health and  
disease  
**Horm Metab Res**, 39(2):110-24, 2007  
Impact factor: 2.254

Hechler D, Nitsch R, Hendrix S:  
GFP-transgenic mouse models for the study of axonal growth and regeneration *in vitro*  
**Brain Res Rev**, 52(1):160-169, 2006  
Impact factor: 5,595

Lünemann A, Ullrich O, Diestel A, Jöns T, Ninnemann O, Kovac A, Pohl EE, Hass R,  
Nitsch R, Hendrix S:  
Macrophage/microglia activation factor expression is restricted to lesion-associated  
microglial cells after brain trauma  
**Glia**, 53(4):412-9, 2006  
Impact factor: 5,013

Gölz G, Uhlmann L, Lüdecke D, Markgraf N, Nitsch R, Hendrix S:  
The cytokine/neurotrophin axis in peripheral axon outgrowth  
**Eur J Neurosci**, 24: 2721–2730, 2006  
Impact factor: 3,709

Schmitt KRL, Kern C, Berger F, Ullrich O, Hendrix S\*, Abdul-Khaliq H\*:  
Methylprednisolone attenuates hypothermia- and rewarming-induced cytotoxicity and IL-6  
release in isolated primary astrocytes, neurons and BV-2 microglia cells

**Neurosci Lett**, 404(3):309-14, 2006

\*equally contributing senior authors

Impact factor: 2,092

Hendrix S, Warnke K, Siebenhaar F, Peters EMJ, Nitsch R, Maurer M:

The majority of brain mast cells in B10.PL mice is present in the hippocampal formation

**Neurosci Lett**, 392:174–177, 2006

Impact factor: 2,092

Peters EMJ, Hendrix S, Gölz G, Klapp BF, Arck PC, Paus R:

Nerve Growth Factor and its Precursor Differentially Regulate Hair Cycle Progression in  
Mice

**J Histochem Cytochem**, 54(3):275-88, 2006

Impact factor: 2,449

Hendrix S, Handjiski B, Peters EMJ, Paus R :

A guide to assessing damage response-pathways of the hair follicle: Lessons from  
cyclophosphamide-induced alopecia in mice

**J Invest Dermatol**, 125 (1), 42-51, 2005

Impact factor: 4,406

Bläsing H\*, Hendrix S\*, Botchkarev VA, Paus R:

Pro-inflammatory cytokines upregulate the skin immunoreactivity for NGF, NT-3, NT-4  
and their receptor, p75NTR in vivo

**Arch Dermatol Res**, 296: 580–584, 2005

\*equally contributing authors

Impact factor: 1,219

Bull JJ, Pelengaris S, Hendrix S, Chronnell CMT, Khan M, Philpott MP:

Ectopic Expression of c-Myc in the Skin Affects Hair Growth Cycling and Causes an  
Enlargement of the Sebaceous Gland

**Brit J Dermatol**, 152(6):1125-33, 2005

Impact factor: 2.978

Peters EMJ, Kuhlmei A, Tobin DJ, Müller-Röver S, Klapp BF, Arck PC

Stress exposure modulates peptidergic innervation and degranulates mast cells in murine  
skin

**Brain Behav Immun**, 19(3):252-62, 2005

Impact factor: 3,520

Magerl M, Paus R, Farjo N, Müller-Röver S, Peters EMJ, Foitzik K, Tobin DJ:

Limitations of human occipital scalp hair follicle organ culture for studying the effects of  
minoxidil as a hair growth enhancer

**Exp Dermatol**, 13: 635–642, 2004

Impact factor: 1.707

Müller FB, Müller-Röver S, Korge BP, Kapas S, Philpott MP:  
Adrenomedullin: expression and possible role in human skin and hair growth  
**Brit J Dermatol**, 148:30-38, 2003

Impact factor: 2.659

Ma L, Liu J, Wu T, Plikus M, Jiang TX, Bi O, Liu YH, Müller-Röver S, Peters H, Sundberg J, Maxson R, Maas RL, Chuong CM: Cycling alopecia in MSX2 mutants: Defects in hair cycling and hair shaft differentiation  
**Development**, 130:379-389, 2003

Impact factor: 7,663

Peters EMJ, Botchkarev VA, Müller-Röver S, Moll I, Rice FL, Paus R:  
Developmental timing of hair follicle and dorsal skin innervation in mice  
**J Comp Neurol**, 448:28-52, 2002

Impact factor: 3,848

Bull JJ, Müller-Röver S, Chronnell CMT, Paus R, Philpott MP, McKay IA:  
Contrasting Expression Patterns of CCAAT/Enhancer-Binding Protein Transcription Factors in the Hair Follicle and at Different Stages of the Hair Growth Cycle  
**J Invest Dermatol**, 118: 17 – 24, 2002

Impact factor: 3.746

Chronnel CM, Ghali L, Quinn AG, Ali R, Bull JJ, McKay IA, Philpott MP, Müller-Röver S:  
Human beta defensin-1 and -2 expression in human hair follicles and upregulation in acne vulgaris lesions  
**J Invest Dermatol**, 117:1120-1125, 2001

Impact factor: 4,645

Müller-Röver S, Handjiski B, van der Veen C, Eichmüller S, Foitzik K, McKay IA, Stenn KS, Paus R:  
A comprehensive guide for the accurate classification of murine hair follicles in distinct hair cycle stages  
**J Invest Dermatol**, 117:3-15, 2001

Impact factor: 4,645

Magerl M, Tobin DJ, Müller-Röver S, Lindner G, Hagen E and Paus R:  
Patterns of proliferation and apoptosis during murine hair follicle morphogenesis  
**J Invest Dermatol**, 116:947-55, 2001

Impact factor: 4,645

Bull JJ, Müller-Röver S, Patel SV, Chronnell CMT, McKay IA, Philpott MP:  
Contrasting Localization of c-Myc with other Myc Superfamily Transcription Factors in the Human Follicle and during the Hair Growth Cycle  
**J Invest Dermatol**, 116:617-622, 2001

Impact factor: 4,645

Foitzik K, Lindner G, Müller-Röver S, Maurer M, Botchkareva N, Botchkarev VA, Handjiski B, Metz M, Hibino T, Soma T, Dotto P, Paus R:  
Control of murine hair follicle regression (catagen) by TGF- $\beta$ 1 in vivo  
**FASEB J**, 14:752-76, 2000  
Impact factor: 9.249

Mecklenburg L, Tobin DJ, Müller-Röver S, Handjiski B, Wendt G, Peters EJM, Pohl S, Moll I, Paus R: Active hair growth (anagen) is associated with angiogenesis  
**J Invest Dermatol**, 114:909-916, 2000  
Impact factor: 4,539

Christoph T, Müller-Röver S, Audring H, Tobin DJ, Hermes B, Cotsarelis G, Rückert R, Paus R:  
Characterization of the Human Hair Follicle Immune System  
**Brit J Dermatol**, 142:862-873, 2000  
Impact factor: 2.214

Botchkareva NV, Botchkarev VA, Welker P, Airaksinen M, Roth W, Suvanto P, Müller-Röver S, Hadshiew LM, Peters C, Paus R: New roles for glial cell line-derived neurotrophic factor and neurturin: involvement in hair cycle control  
**Am J Pathol**, 156:1041-1053, 2000  
Impact factor: 6,971

Müller-Röver S, Rossiter H, Paus R, Handjiski B, Peters EJM, Murphy JE, Mecklenburg L, Kupper TS:  
Overexpression of bcl-2 protects from UVB-induced apoptosis, but promotes hair follicle regression and chemotherapy-induced alopecia  
**Am J Pathol**, 156:1395-1405, 2000  
Impact factor: 6,971

Müller-Röver S, Bulfone-Paus S, Handjiski B, Welker P, Sundberg JP, McKay IA, Botchkarev VA, Paus R:  
Intercellular Adhesion Molecule-1 and Hair Follicle Regression  
**J Histochem Cytochem**, 48: 557–568, 2000  
Impact factor: 2,610

Paus R, Müller-Röver S, Botchkarev VA:  
Chronobiology of the hair follicle: Hunting the “hair cycle clock”  
**J Invest Dermatol Symp Proc**, 4:338-345, 1999  
Impact factor: 0,31

Paus R, Müller-Röver S, Christoph T:  
Immunology of the hair follicle: a short journey into *terra incognita*  
**J Invest Dermatol Symp Proc**, 4:226-234, 1999  
Impact factor: 0,31

Paus R, Müller-Röver S, van der Veen C, Maurer M, Eichmüller S, Ling G, Hofmann U, Foitzik K, Mecklenburg L, and Handjiski B: A comprehensive guide for the recognition

and classification of distinct stages of hair follicle morphogenesis

**J Invest Dermatol**, 113:523-532, 1999

Impact factor: 4,645

Müller-Röver S, Rossiter H, Lindner G, Peters EMJ, Kupper TS, Paus R:

Hair follicle apoptosis and Bcl-2

**J Invest Dermatol Symp Proc**, 4:272-277, 1999

Impact factor: 0,310

Müller-Röver S, Tokura Y, Welker P, Furukawa F, Wakita H, Takigawa M, Paus R:

E- and P-cadherin expression during murine hair follicle development and cycling

**Exp Dermatol**, 8:237-46, 1999

Impact factor: 2,183

Müller-Röver S, Botchkarev VA, Peters EJM, Panteleyev A, Paus R:

Distinct patterns of NCAM expression are associated with defined stages of murine hair follicle morphogenesis and regression

**J Histochem Cytochem**, 46:1401-1410, 1999

Impact factor: 2.675

Eichmüller S, van der Veen C, Moll I, Hermes B, Hofmann U, Müller-Röver S, Paus R:

Clusters of perifollicular macrophages in normal murine skin: physiological degeneration of selected hair follicles by programmed organ deletion

**J Histochem Cytochem**, 46:361-370, 1998

Impact factor: 2,536

Panteleyev AA, van der Veen C, Rosenbach T, Müller-Röver S, Sokolov VE, Paus R:

Towards defining the pathogenesis of the hairless phenotype

**J Invest Dermatol**, 110:902-907, 1998

Impact factor: 4,822

Paus R, van der Veen C, Eichmüller S, Kopp T, Müller-Röver S, Hofmann U:

Generation and cyclic remodelling of the hair follicle immune system (HIS)

**J Invest Dermatol**, 111: 7-18, 1998

Impact factor: 4,822

Tokura Y, Hofmann U, Müller-Röver S, Paus R, Wakita H, Yagi H, Seo N, Furukawa F,

Takigawa M:

Spontaneous hair follicle cycling may influence the development of murine contact photosensitivity by modulating keratinocyte cytokine production.

**Cell Immunol**, 178:172-179, 1997

Impact factor: 2.125